

*SETscan*TM

High Frequency Optical Patternator





The only **trusted** end-of-line
More **reliable** and **accurate**
The **fastest** optical patterner for **spray**
Guaranteed **repro**

Fully correlated with
Cone angle,
Planar drop
Minimal technical
Thousands of
Seamless integration
Immune to factory
Insensitive to
Traceable
Out of box
Faster nozzle
Portable

Patternation

Patternation

Patternation

quality audit patternator.
than competitive technologies.
characterization in the market.
ducible results.

local evaporation rate
patterning number
surface areas
expertise required
inspections per day
to database
floor lighting
nozzle alignment
quality assurance
deployment
testing
data

at its simplest.

at its best.

at its limits.





US Patent No. 6184989, 8134703

AP Series for windowed chambers
OP Series for end-of-line quality audit

Single Axis	Six Axis	Spray Footprint
AP-100	OP-100	25 mm / 1 inch
AP-200	OP-200	50 mm / 2 inch
AP-400	OP-400	100 mm / 4 inch
AP-700	OP-600	175 mm / 6 inch
AP-1000	OP-1000	250 mm / 10 inch

Accessories

- SETscan graphical user interface
- Quality audit module for SQL/Oracle/SAP databases
- Data acquisition system
- Five year service contract
- Installation at customer site

En'Urga Inc.

1201 Cumberland Avenue, Suite R, West Lafayette, IN 47906

US: 1-877-825-6100 | International: +1-765-497-3269

info@enurga.com | www.enurga.com